



How the **AEROBIKA®** device works





exhale through the

device, the airways are

opened.



As the airways open, vibrations help thin and loosen mucus which can then be coughed out.

This may help



your inhaled medication work better.<sup>1</sup>

# **QUICK START STEPS**





correctly on your own.




**BEFORE USE:** 


Airways are

plugged with mucus.

CLOSE LIPS around mouthpiece.



2INHALE and HOLD 2 to 3 seconds.





3 EXHALE slowly and firmly for at least 3 to 4 seconds.



REPEAT and cough as directed.













USE CLINICAL JUDGMENT TO SELECT THE APPROPRIATE CLEANING AND DISINFECTION METHOD AND FREQUENCY, BASED ON THE SEVERITY OF THE USER'S DISEASE STATE.

## **2 OPTIONS FOR CLEANING THE DEVICE**

THIS DEVICE MAY BE CLEANED AFTER EACH TREATMENT.



Always ensure your device is **COMPLETELY DRY** before putting it back together for use.

## **MONTHLY CLEANING**

Separate the device into 4 or 5 pieces if using the manometer accessory prior to performing any of the cleaning/disinfection methods.

Soak the disassembled device in 1 cup vinegar and 1 cup water for 1 hour, then wash as normal.



#### **CAUTION:**

Do not soak the manometer. Simply remove from stem and wipe down.


OR

### **5 OPTIONS TO DISINFECT THE DEVICE**

THIS DEVICE CAN BE DISINFECTED DAILY. DO NOT GO MORE THAN 7 DAYS WITHOUT DISINFECTING.



BOILING
Place in boiling
water for
5 minutes.



STEAM BAG
Reference the manufacturer's instructions for use.

Words or phrases accompanied by <sup>™</sup> and <sup>\*</sup> are trademarks and registered trademarks of Monaghan Medical Corporation or an affiliate of Monaghan Medical Corporation.



OR

70% ISOPROPYL ALCOHOL Soak for 5 minutes. Rinse thoroughly.



3% HYDROGEN
PEROXIDE
Soak for 30 minutes.
Rinse thoroughly.



1:50 BLEACH TO WATER SOLUTION Soak for 3 minutes. Rinse thoroughly (not recommended for high level disinfection).

These are abbreviated instructions for cleaning and disinfection, please remember to read the complete instructions that are packaged with your AEROBIKA® OPEP Therapy System.

REFERENCE: 1. Wolkove N et al CHEST 2002: 121(3):702-707.